

Equipment Supply Solutions

Portagas' high-quality, economical solutions to your gas delivery needs.

100 Series Regulator

The Portagas 100 series regulator is designed to maintain a constant flow rate to help ensure accurate monitor calibrations even as cylinder pressure drops. It features an N.I.S.T. traceable serial number, knurled knob for easy grip and passivated surfaces to help prevent reaction with calibration gases. The unique

diaphragm design allows for a constant flow, even as cylinder volume/ pressure are depleted. It features a stainless steel gauge and a wide choice of inlets and outlets.



Demand Flow Regulator

The Portagas pressure Demand Flow Regulators (DFR) are designed for use with our *Portagreen™* line of cylinders. The DFR has been designed to provide the correct gas flow to instruments that have internal pumps. Typical activation suction is from 0" to 3" of water column. The DFR can be configured for inlet pressures ranging from 250 psig up to 3000 psig, with an outlet fitting of 3/16" hose barb.

The DFR is available with an aluminum body for non reactives and a stainless steel body for reactive gas services.



Part Number	Description
90005509	Chrome-plated - 0.25 LPM, C10 Inlet
90005510	Chrome-plated - 0.5 LPM, C10 Inlet
90005520	Chrome-plated - 1.0 LPM, C10 Inlet
90009055	Chrome-plated - 0.25 LPM, CGA600
90009206	Chrome-plated - 0.5 LPM, CGA600
90009207	Chrome-plated - 1.0 LPM, CGA600

Part Number	Description
90412867	Aluminum - C-10 Inlet
90412869	Aluminum - CGA 580 Inlet
90412870	Aluminum - CGA 590 Inlet
90412871	Aluminum - CGA 330 Inlet
90412872	Aluminum - CGA 660 Inlet

The Portagas Advantage - Our Patented Strip & Ship™ Process



Make sure gauge reads zero.





STEP 2:

Strip off content label to reveal prepaid return label beneath it.



STEP 3:

Provide prelabeled cylinder to carrier for easy return



Preset, Fixed Flow Regulators

The Portagas preset, fixed-flow regulators are designed for use with our *Portagreen* line of cylinders. The flow is fixed to consistently provide the correct gas flow to instruments for calibration. Inlet pressure is configurable from 250 psig to 3000 psig. The gas outlet is a 3/16" hose barb with a configurable preset flow from .25 slpm

to 6 slpm. An easy-to-read pressure gauge is included and the provided control valve allows for easy on/off capability.



Push-Button, Fixed Flow Regulators

The Portagas push button, fixed-flow regulators are designed for use with our *Portagreen MegaBump* $^{\text{TM}}$ cylinder. The flow is fixed to deliver consistent fixed flow with one push of the button. The gas outlet is a 3/16" hose barb with preset flow set at .5 LPM. These regulators are brass nickel-plated body for non-reactive

and reactive gas service. An easy-toread pressure gauge is included.



Part Number	Description
90412865	Chrome-plated - 0.5 LPM, C10 Inlet
90412876	Chrome-plated - 0.5 LPM, CGA 600 Inlet

Part Number	Description
90412866	Chrome-plated - 0.5 LPM, C-10 inlet

Contact your Portagas representative for regulator part numbers with other flow rates.

Portagreen Transportable Cylinder Accessories



Single Ring Style Stand, for 3.25" to 4.25" Diameter Bottles, PRS-835



Single Ring Style Stand, for 7" to 8.75" Diameter Bottles, PRS-837

Get high-quality regulators to meet your budget needs.







